Author Index

ABRAHAM G.N. *see* GREENSTEIN J.L.
AIZAWA M. *see* KASAHARA M.
ALLANSMITH M.R. *see* SULLIVAN D.A.
ALTMANN D.M. & BLYTH W.A. Lipopolysaccharide-induced suppressor cells for delayed-type hypersensitivity to herpes simplex virus: nature of suppressor cell and effect on pathogenesis of herpes simplex, 473
ANDERSON B. *see* DAVIS L.E.
ANDERSSON B. *see* WHITED COLLISSON E.
ANDREW E. *see* ENRIQUEZ-RINCON F.
AOIKE A. *see* HOSOKAWA T.
APPLEBY P. *see* PRITCHARD D.I.
ASHERSON G.L., DORF M.E., COLIZZI V., ZEMBALA M. & JAMES B.M.B. Equivalence of conventional anti-picryl T suppressor factor in the contact sensitivity system and monoclonal anti-NP TsF_3: their final non-specific effect via the T acceptor cell, 491
ASPINALL R. *see* BELL S.M.
ATKINSON M.E. *see* GREGORY C.D.

BALDWIN R.W. *see* FERRY B.L.
BALTZ M.L. *see* CASPI D.
BARWICK S. *see* CRANE I.
BATT R.M. *see* CASPI D.
BAXTER C.S. *see* COCHRAN F.R.
BELL S.M., ASPINALL R. & STERN P.L. Enrichment of rat NK cytotoxicity for H2-negative murine embryonal carcinoma cells by panning and short-term culture in TCGF, 23
BEHNKE J.M. *see* PRITCHARD D.I.
BERCHE P. *see* SIMONET M.
BEVERLEY P.C.L. *see* HOGG N.
BIBERFELD P. *see* SUNDQVIST K.-G.
BLACKWELL J.M. *see* CHANNON J.Y.
BLYTH W.A. *see* ALTMANN D.M.
BOLTZ-NITULESCU G., PLUMMER J.M. & SPIEGELBERG H.L. Increased expression of the IgE Fc receptors on rat macrophages induced by elevated serum IgE levels, 9
BORDMANN G. *see* MIYASAKA M.
BOSE R., BUNDESEN P.G., HOLFORD-STEVENS V., STEFURA W.P., KELLY K.A., JEFFREY J.C., RECTOR E.S., FISCHER J., SEHON A.H. & SCHWENK R.J. Immunochemical properties of some monoclonal IgE antibodies to 4-hydroxy-3-nitro-phenylacetyl (NP), 801
BREMM K.D., KÖNIG W., SPUR B., CREA A. & GALANOS C. Generation of slow-reacting substance (leukotrienes) by endotoxin and lipid A from human polymorphonuclear granulocytes, 299
BRILES D.E. *see* CONLEY M.E.
BUNDESEN P.G. *see* BOSE R.
BUTTKE T.M. Inhibition of lymphocyte proliferation by free fatty acids. I. Differential effects on mouse B and T lymphocytes, 235
BUTTKE T.M. & CUCHENS M.A. Inhibition of lymphocyte proliferation by free fatty acids. I. Toxicity of stearic acid towards phytohaemagglutinin-activated T cells, 507
BUTTRESS N. *see* CASPI D.

CALDERON R.A. & HAY R.J. Cell-mediated immunity in experimental murine dermatophytosis. I. Temporal aspects of T-suppressor activity caused by *Trichophyton quinckeanum*, 457
CALDERON R.A. & HAY R.J., Cell-mediated immunity in experimental murine dermatophytosis. II. Adoptive transfer of immunity to dermatophyte infection by lymphoid cells from donors with acute or chronic infections, 465
CASPI D., BALTZ M.L., SNEL F., GRUYS E., NIV D., BATT R.M., MUNN E.A., BUTTRESS N. & PEPYS M.B. Isolation and characterization of C-reactive protein from the dog, 307
CHANDRASHEKAR R., RAO U.R., SUBRAHMANYAM D., HOPPER K., NELSON D.S. & KING M. *Brugia pahangi*: serum-dependent cell-mediated reactions to sheathed and exsheathed microfilariae, 411
CHANG M.-P. *see* GORCZYNSKI R.M.
CHANNON J.Y., ROBERTS M.B. & BLACKWELL J.M. A study of the differential respiratory burst activity elicited by promastigotes and amastigotes of *Leishmania donovani* in murine resident peritoneal macrophages, 345
CHARRON D.J. *see* TRIEBEL F.
CHAUDHURI M. *see* WALLIS V.J.
CLANCY R.L. *see* SCICCHITANO R.
CLARK-LEWIS I. *see* CRAPPER R.M.
CLOSS O. *see* LØVIK M.
COCHRAN F.R. & BAXTER C.S. Macrophage-mediated suppression of T lymphocyte proliferation induced by oral carrageenan administration, 291
COLIZZI V. *see* ASHERSON G.L.
COLLINS F.M. *see* HEPPER K.P.
CONLEY M.E. & BRILES D.E. Lack of IgA subclass restriction in antibody response to phosphorycholine, β lactoglobulin and tetanus toxoid, 419
CRANE I., LEUNG H., BARWICK S., PARTI S. & MEAGER A. The preparation of interferon gamma-producing T-cell hybridomas from jacalin-stimulated T lymphocytes and the SH9 T-cell line, 855
CRAPPER R.M., CLARK-LEWIS I. & SCHRADER J.W. The *in vivo* functions and properties of persisting cell-stimulating factor, 33
CREA A. *see* BREMM K.D.
CRIPPS A.W. *see* SCICCHITANO R.
CUCHENS M.A. *see* BUTTKE T.M.
CULBERT E.J., KONTIAINEN S. & FELDMANN M. The relationship between secreted and cell surface antigen-binding molecules synthesized by T cells. I. Function-related isotypic determinants on T cells defined by antisera to antigen-specific helper and suppressor factors, 481

DAVID C.S. *see* WASSOM D.L.
DAVIES A.J.S. *see* WALLIS V.J.
DAVIS L.E., ROTH S.A. & ANDERSON B. Antisera specificities to 1-ethyl-3-(3-dimethylaminopropyl) carbodiimide adducts of proteins, 435
DAWSON J.R. *see* SHAU H.
DEBRE P. *see* TRIEBEL F.
DELESPESSE G. *see* SARFATI M.
DHALIWAL J.S. *see* GILL H.K.
DORF M.E. *see* ASHERSON G.L.
DOUGHERTY D.A. *see* WASSOM D.L.
DUDLER L. *see* MIYASAKA M.
DUFFUS P.H. *see* THORNE K.J.I.
DZIARSKI R. Opposing effects of *xid* and *nu* mutations on proliferative and polyclonal antibody and autoantibody responses to peptidoglycan, LPS, protein A and PWM, 563

EGIDO J. *see* SANCHO J.
EGUCHI K. *see* FUKUDA T.
ELKON K.B. Charge heterogeneity of human secretory component: immunoglobulin and lectin binding studies, 131
ENRIQUEZ-RINCON F., ANDREW E., PARKHOUSE R.M.E. & KLAUS G.G.B. Suppression of follicular trapping of antigen-antibody complexes in mice treated with anti-IgM or anti-IgD antibodies from birth, 713
ESCANERO J.F. *see* SANCHO J.
EY P.L. *see* PENTTILA I.A.

FAUCHERE J.L. *see* SIMONET M.
FEHR J. & HUBER A. Complement-induced granulocyte adhesion and aggregation are mediated by different factors: evidence for non-equivalence of the two cell functions, 583
FEIERMAN L. *see* ILFELD D.
FELDMANN M. *see* CULBERT E.J.
FERRY B.L., FLANNERY G.R., ROBINS R.A., LAWRY J. & BALDWIN R.W. Phenotype of cytotoxic effector cells infiltrating a transplanted, chemically induced rat sarcoma, 243
FISCHER J. *see* BOSE R.
FLANNERY G.R. *see* FERRY B.L.
FORNŮSEK L. *see* TLASKALOVÁ-HOGENOVÁ H.
FOSTER D.W. *see* GOETZL E.J.
FUJIWARA M., & KARIYONE A. One-way occurrence of graft-versus-host disease in bone marrow chimaeras between congenic MRL mice, 251
FUKASAWA Y. *see* KASAHARA M.
FUKUDA T., MATSUNAGA M., KURATA A., MINE M., IKARI N., KATAMINE S., KANAZAWA H., EGUCHI K. & NAGATAKI S. Hereditary deficiency of OKT4-positive cells: studies for mode of inheritance and lymphocyte functions, 643

GALANOS C. *see* BREMM K.D.
GALCERAN M. *see* RONCO P.
GALLAGHER G. & STIMSON W.H. Human T-cell hybrids with HLA-restricted proliferative response to Epstein-Barr virus-infected B cells, 611
GALMARINI M. *see* PISTORESI-PALENCIA M.C.
GENITEAU M. *see* RONCO P.
GERBER H.A. *see* MIYASAKA M.
GERMUTH F.G. & RODRIGUEZ E. Effect of human IgM rheumatoid factor on the glomerular site of localization of passively administered immune complexes in mice, 395
GIBSON P.R., HERMANOWICZ A. & JEWELL D.P. Factors affecting the spontaneous cell-mediated cytotoxicity of intestinal mononuclear cells, 267
GILL H.K., DHALIWAL J.S., SUKUMARAN K.D. & LIEW F.Y. Effect of irradiation on the precursor, activated and memory suppressor T cells for delayed-type hypersensitivity to sheep erythrocytes in mice, 669
GLUCKMAN J.-C. *see* TRIEBEL F.
GOETZL E.J., FOSTER D.W. & PAYAN D.G. A basophil-activating factor from human T lymphocytes, 227
GONZÁLEZ E. *see* SANCHO J.
GORCZYNSKI R.M., HARRIS J.F., KENNEDY M., MACRAE S. & CHANG M.-P. Recognition specificities, development and possible biological function of natural killer cells in the mouse. II. Changes in NK recognition during ontogeny and ageing, and examination of role of environment in controlling the expressed recognition repertoire, 731
GOTO F., NAKAMURA S., GOTO K. & YOSHINAGA M. Production of a lymphocyte proliferation potentiating factor by purified polymorphonuclear leucocytes from mice and rabbits, 683
GOTO K. *see* GOTO F.
GOUDIE B.M. *see* MACLEAN C.A.
GREENSTEIN J.L. & ABRAHAM G.N. V_KIIIb expression is altered in acquired and drug-induced hypogammaglobulinaemia, 779
GREGORY C.D. & ATKINSON M.E. Large agranular lymphocytes: early non-specific effector cells in allograft rejection in the mouse, 257
GRIEDER A. *see* KOPONEN M.
GRUYS E. *see* CASPI D.

HALL E. *see* JARRETT E.E.E.
HALL J.G. Studies on the adjuvant action of beryllium. I. Effects on individual lymph nodes, 105
HALL J.G. *see* PEPPARD J.V.
HALL J.G. & SPENCER J. Studies on the adjuvant action of beryllium. II. Systemic effects with particular reference to secretory immunity, 115
HAMMER D.K. *see* MOSSMANN H.
HARRIS J.F. *see* GORCZYNSKI R.M.
HARTE P.G., ROGERS N., TARGETT G.A.T. & PLAYFAIR J.H.L. Maternal inhibition of malaria vaccination in mice can be overcome by giving a second dose of vaccine, 401
HAWKIN S. *see* KASAHARA M.
HAWRYLOWICZ C.M. & KLAUS G.G.B. Activation and proliferation signals in mouse B cells. IV. Concanavalin A. stimulates B cells to leave G_0, but not to proliferate, 703
HAWRYLOWICZ C.M. *see* KLAUS G.G.B.
HAY R.J. *see* CALDERON R.A.
HAYDOCK S.F. *see* THORNE K.J.I.
HEDLUND G., JANSSON B. & SJÖGREN H.O. Comparison of immune responses induced by rat RT-1 antigens presented as inserts into liposomes, as protein micelles and as intact cells, 69
HEPPER K.P. & COLLINS F.M. Adoptive transfer of acquired resistance to *Mycobacterium kansasii* by T cells harvested from chronically-infected mice, 819

HEPPER K.P. & COLLINS F.M. Immune responsiveness in mice heavily infected with *Mycobacterium kansasii*, 357
HERMANOWICZ A. *see* GIBSON P.R.
HESLOP B.F., MCNEILAGE L.J. & SENGUPTA S. Allogeneic lymphocyte cytotoxicity in rats: the effects of various pharmacological agents, 43
HIMMELSPACH K. *see* MOSSMANN H.
HINENO T. *see* HITSUMOTO Y.
HITSUMOTO Y., HINENO T. & UTSUMI S. Induction of tolerance by haptenated liposomes carrying mouse erythrocyte membrane glycoprotein, 847
HOGG N., MACDONALD S., SLUSARENKO M. & BEVERLEY P.C.L. Monoclonal antibodies specific for human monocytes, granulocytes and endothelium, 753
Holford-Stevens V. *see* BOSE R.
HOLMAN M. *see* KLAUS G.G.B.
HOPPER K. *see* CHANDRASHEKAR R.
HOSOKAWA T., TANAKA Y., AOIKE A., KAWAI K. & MURAMATSU S. Studies on B cell memory. III. T-dependent aspect of B memory generation in mice immunized with T-independent type-2 (TI-2) antigen, 97
HOYER B. *see* MOSSMANN H.
HUBER A. *see* FEHR J.
HUNTLEY J.F., MCGORUM B., NEWLANDS G.F.J. & MILLER H.R.P. Granulated intraepithelial lymphocytes: their relationship to mucosal mast cells and globule leucocytes in the rat, 525
HURME M. *see* SIHVOLA M.
HUSBAND A.J. *see* SCICCHITANO R.
HYODO S. *see* SUZAWA T.

IKARI N. *see* FUKUDA T.
IKEDA H. *see* KASAHARA M.
ILFELD D., FEIERMAN L., KUPERMAN O., KIVITY S., TOPILSKY M., NETZER L., PECHT M. & TRAININ N. Effect of colchicine on T cell subsets of healthy volunteers, 595
ISHIGATUBO Y. *see* OKUDA K.
ISHIKAWA N. *see* KASAHARA M.
ITAYAMA H. *see* OKU Y.

JACKSON L.E. *see* PEPPARD J.V.
JACOB M.C. *see* WALLIS V.J.
JAMES B.M.B. *see* ASHERSON G.L.
JANSSON B. *see* HEDLUND G.
JARRETT E.E.E. & HALL E. The development of IgE-suppressive immunocompetence in young animals: influence of exposure to antigen in the presence or absence of maternal immunity, 365
JEFFREY J.C. *see* BOSE R.
JENKIN C.R. *see* PENTILLA I.A.
JENSEN J.R., SAND T.T. & SPIEGELBERG H.L. Generation of IgE-binding and IgG-binding factors from human lymphoblastoid cell lines, 1
JEWELL D.P. *see* GIBSON P.R.
JONES T. *see* LEHNER T.
JULIUSSON G. *see* SUNDQVIST K.-G.

KAMIKAWA H. *see* NAKASHIMA S.
KAMIYA M. *see* OKU Y.
KANAZAWA H. *see* FUKUDA T.
KARAKAWA T. *see* SUZAWA T.
KARIYONE A. *see* FUJIWARA M.
KASAHARA M., IKEDA H., OGASAWARA K., ISHIKAWA N., OKUYAMA T., FUKASAWA Y., KOJIMA H., KUNIKANE H., HAWKIN S., OHHASHI T., NATORI T., WAKISAKA A., KIKUCHI Y. & AIZAWA M. Inhibition of autologous mixed lymphocyte reaction by monoclonal antibodies specific for the β chain of HLA-DR antigens, 79
KASHIWA H. *see* SUZAWA T.
KATAMINE S. *see* FUKUDA T.
KATOH K. *see* OKUDA K.
KAWAI K. *see* HOSOKAWA T.
KEELER K.D. *see* KLAUS G.G.B.
KELLY K.A. *see* BOSE R.
KENNEDY M. *see* GORCZYNSKI R.M.
KHAN F. *see* MOORE T.C.
KIKUCHI Y. *see* KASAHARA M.
KING M. *see* CHANDRASHEKAR R.
KISHI T. *see* SUZAWA T.
KITAMURA H., MATSUMOTO M. & NAGAKI K. C3-independent immune haemolysis: haemolysis of EAC14^{oxy}2 cells by C5–C9 without participation of C3, 575
KITTAKA E. *see* SUZAWA T.
KIVITY S. *see* ILFELD D.
KLAUS G.G.B., HAWRYLOWICZ C.M., HOLMAN M. & KEELER K.D. Activation and proliferation signals in mouse B cells. III. Intact (IgG) anti-immunoglobulin antibodies activate B cells but inhibit induction of DNA synthesis, 693
KLAUS G.G.B. *see* ENRIQUEZ-RINCON F.
KLAUS G.G.B. *see* HAWRYLOWICZ C.M.
KNIGHT K.L. *see* WATKINS J.R.
KOJIMA H. *see* KASAHARA M.
KÖNIG W. *see* BREMM K.D.
KONTIAINEN S. *see* CULBERT E.J.
KOPONEN M., GRIEDER A. & LOOR F. Interference of cyclosporin with lymphocyte activation: blockage of the mitogen-induced increases of lysosomal and mitochondrial activities, 55
KRCO C.J. *see* WASSOM D.L.
KUNIKANE H. *see* KASAHARA M.
KUPERMAN O. *see* ILFELD D.
KURATA A. *see* FUKUDA T.

LACHMANN P.J. *see* VYAKARNAM A.
LAMMAS D.A. *see* THORNE K.J.I.
LAMON E.W. *see* WHITED COLLISSON E.
LAWRY J. *see* FERRY B.L.
LEHNER T. & JONES T. A comparative study of streptococcal antigen-binding human T8$^+$ cells and monocytes, in relation to the HLA-DRw6 locus and the helper, suppressor and contrasuppressor functions, 215
LEISERSON W.M. *see* MIYASAKA M.
LEUNG H. *see* CRANE I.
LEUNG K.N., NASH A.A., SIA D.Y. & WILDY P. Clonal analysis of T-cell responses to herpes simplex virus: isolation, characterization and antiviral properties of an antigen-specific helper T-cell clone, 623
LIEW F.Y. *see* GILL H.K.
LINNA T.J. *see* PATEL M.R.
LIPPMANN M. *see* MOORE T.C.
LOCKE R.L. *see* MOORE T.C.

LOKEN M.R. *see* WATKINS J.R.
LOOR F. *see* KOPONEN M.
LØVIK M. & CLOSS O. Induction of immunity against live *Mycobacterium lepraemurium*: a requirement for viable bacilli?, 165

MACDONALD S. *see* HOGG N.
MCGORUM B. *see* HUNTLEY J.F.
MACLEAN C.A., GOUDIE B.M., MACSWEEN R.N.M. & SANDILANDS G.P. Serum Fcγ-receptor-like molecules in primary biliary cirrhosis: a possible immunoregulatory mechanism, 315
MCNEILAGE L.J. *see* HESLOP B.F.
MCNICHOLAS J.M. *see* WATKINS J.R.
MACRAE S. *see* GORCZYNSKI R.M.
MACSWEEN R.N.M. *see* MACLEAN C.A.
MAIZELS R.M. *see* PRITCHARD D.I.
MAKELÄ O. *see* SEPPÄLÄ I.J.T.
MANČAL P. *see* TLASKALOVÁ-HOGENOVÁ H.
MATOSO-FERREIRA A. Fine-specificity of the immune response to oxazolones. IV. Furyloxazolone-specific cytolytic lymphocytes (unlike antibodies) are not heteroclitic, 451
MATSUMOTO M. *see* KITAMURA H.
MATSUNAGA K. *see* OKUDA K.
MATTHEWS N. Anti-tumour cytotoxin from macrophages: no correlation between cytotoxin adsorption by tumour cell lines and their cytotoxin susceptibility, 537
MAYER E.P. The adherence of *Escherichia coli* mutants to mouse splenic lymphocytes, 175
MEAGER A. *see* CRANE I.
MELCION C. *see* RONCO P.
MILLER H.R.P. *see* HUNTLEY J.F.
MINAMI M. *see* OKUDA K.
MINE M. *see* FUKUDA T.
MATSUNAGA M. *see* FUKUDA T.
MITCHELL B.S. & PEEL S. Identification of cells bearing leucocyte surface antigens in metrial gland tissue from rats of different gestational ages, strains or parities, 63
MIYASAKA M., DUDLER L., BORDMANN G., LEISERSON W.M., GERBER H.A., REYNOLDS J. & TRNKA Z. Differentiation of B lymphocytes in sheep. I. Phenotypic analysis of ileal Peyer's patch cells and the demonstration of a precursor population for sIg^+ cells in the ileal Peyer's patches, 515
MOORE T.C., LIPPMANN M., KHAN F. & LOCKE R.L. Depression of lymphocyte traffic in sheep by induced systemic arterial hypotension and by acute arterial occlusion, 677
MOSSMANN H., HOYER B., WALZ W., HIMMELSPACH K. & HAMMER D.K. Antibody-dependent cellular cytotoxicity and chemiluminescence as a tool for studying the mechanism of anti-glomerular basement membrane nephritis. The role of the cytotoxic potential of polymorphonuclear granulocytes and monocytes, 545
MUNN E.A. *see* CASPI D.
MURAMATSU S. *see* HOSOKAWA T.

NAGAKI K. *see* KITAMURA H.
NAGAOKA S. *see* OKUDA K.
NAGATAKI S. *see* FUKUDA T.
NAKAMURA S. *see* GOTO F.
NAKASHIMA S. & KAMIKAWA H. Accelerated expansion of antibody heterogeneity by complete Freund's adjuvant during the response to bacterial α-amylase, 837
NASH A.A. *see* LEUNG K.N.
NATORI T. *see* KASAHARA M.
NELSON D.S. *see* CHANDRASHEKAR R.
NETZER L. *see* ILFELD D.
NEWLANDS G.F.J. *see* HUNTLEY J.F.
NIV D. *see* CASPI D.
NORMAN J.M. *see* THORNE K.J.I.

OGASAWARA K. *see* KASAHARA M.
OHHASHI T. *see* KASAHARA M.
OKU Y., ITAYAMA H. & KAMIYA M. Expulsion of *Trichinella spiralis* from the intestine of W/W^v mice reconstituted with haematopoietic and lymphopoietic cells and origin of mucosal mast cells, 337
OKUDA K., NAGAOKA S., KATOH K., MATSUNAGA K., ISHIGATUBO Y., MINAMI M. & TANI K. Abnormalities of third-order suppressor T cells in old (New Zealand Black × New Zealand White) F_1 mice, 553.
OKUYAMA T. *see* KASAHARA M.
OTTESKOG P. *see* SUNDQVIST K.-G.

PARKHOUSE R.M.E. *see* ENRIQUEZ-RINCON F.
PARTI S. *see* CRANE I.
PATEL M.R. & LINNA T.J. Enrichment of mouse splenic natural killer cells using discontinuous polyvinylpyrrolidone silica (Percoll) gradients, 721
PAYAN D.G. *see* GOETZL E.J.
PECHT M. *see* ILFELD D.
PEEL S. *see* MITCHELL B.S.
PENTILLA I.A., EY P.L. & JENKIN C.R. Infection of mice with *Nematospiroides dubius*: demonstration of neutrophil-mediated immunity *in vivo* in the presence of antibodies, 147
PEPPARD J.V., JACKSON L.E., HALL J.G. & ROBERTSON D. The transfer of immune complexes from the lumen of the small intestine to the bloodstream in sucking rats, 385
PEPYS M.B. *see* CASPI D.
PISTORESI-PALENCIA M.C., RIERA C.M., GALMARINI M., VOTTERO-CIMA E. & SERRA H.M. Study of autoimmune response to rat male accessory glands in rats born to immune mothers, 141
PLAYFAIR J.H.L. *see* HARTE P.G.
PLUMMER J.M. *see* BOLTZ-NITULESCU G.
PRITCHARD D.I., MAIZELS R.M., BEHNKE J.M. & APPLEBY P. Stage-specific antigens of *Nematospiroides dubius*, 325

RAO U.R. *see* CHANDRASHEKAR R.
RECTOR E. *see* SARFATI M.
RECTOR E.S. *see* BOSE R.
REININGER L. *see* RONCO P.
REYNOLDS J. *see* MIYASAKA M.
RIERA C.M. *see* PISTORESI-PALENCIA M.C.
ROBÈRT K.-H. *see* SUNDQVIST K.-G.
ROBERTS M.B. *see* CHANNON J.Y.
ROBERTSON D. *see* PEPPARD J.V.
ROBINS R.A. *see* FERRY B.L.
RODRIGUEZ E. *see* GERMUTH F.G.
ROGERS N. *see* HARTE P.G.
RONCO E. *see* RONCO P.

RONCO P., MELCION C., GENITEAU M., RONCO E., REININGER L., GALCERAN M. & VERROUST P. Production and characterization of monoclonal antibodies against rat brush border antigens of the proximal convoluted tubule, 87
ROTH S.A. *see* DAVIS L.E.
RUBIO-TRUJILLO M. *see* SARFATI M.

SAKANO T. *see* SUZAWA T.
SANCHO J., GONZÁLEZ E., ESCANERO J.F. & EGIDO J. Binding kinetics of monomeric and aggregated IgG to Kupffer cells and hepatocytes of mice, 283
SAND T.T. *see* JENSEN J.R.
SANDILANDS G.P. *see* MACLEAN C.A.
SARFATI M., RECTOR E., RUBIO-TRUJILLO M., WONG K., SEHON A.H. & DELESPESSE G. *In vitro* synthesis of IgE by human lymphocytes. III. IgE-potentiating activity of culture supernatants from Epstein-Barr virus (EBV) transformed cells, 207
SARFATI M., RECTOR E., SEHON A.H. & DELESPESSE G. *In vitro* synthesis of IgE by human lymphocytes. IV. Suppression of the spontaneous IgE synthesis by IgE-binding factors secreted by tunicamycin-treated RPMI 8866 cells, 783
SARFATI M., RECTOR E., WONG K., RUBIO-TRUJILLO M., SEHON A.H. & DELESPESSE G. *In vitro* synthesis of IgE by human lymphocytes. II. Enhancement of the spontaneous IgE synthesis by IgE-binding factors secreted by RPMI 8866 lymphoblastoid B cell line, 197
SARFATI M., RUBIO-TRUJILLO M., WONG K., RECTOR E., SEHON A.H. & DELESPESSE G. *In vitro* synthesis of IgE by human lymphocytes. I. The spontaneous secretion of IgE by B lymphocytes from allergic individuals: a model to investigate the regulation of human IgE synthesis, 187
SCHRADER J.W. *see* CRAPPER R.M.
SCHWENK R.J. *see* BOSE R.
SCICCHITANO R., HUSBAND A.J. & CLANCY R.L. Contribution of intraperitoneal immunization to the local immune response in the respiratory tract of sheep, 375
SCICCHITANO R., HUSBAND A.J. & CRIPPS A.W. Biliary transport of serum IgA in sheep, 121
SEHON A.H. *see* BOSE R.
SEHON A.H. *see* SARFATI M.
SENGUPTA S. *see* HESLOP B.F.
SEPPÄLÄ I.J.T. & MÄKELÄ O. Adjuvant effect of bacterial LPS and/or alum precipitation in responses to polysaccharide and protein antigens, 827
SERRA H.M. *see* PISTORESI-PALENCIA M.C.
SHAU H. & DAWSON J.R. The role of the lysosome in natural killing: inhibition by lysosomotropic vital dyes, 745
Sia D.Y. *see* LEUNG K.N.
SIHVOLA M. & HURME M. The development of NK cell activity in thymectomized bone marrow chimaeras, 17
ŠIMEČKOVÁ J. *see* TLASKALOVÁ-HOGENOVÁ H.
SIMONET M., BERCHE P., FAUCHERE J.L. & VERON M. Impaired resistance to *Listeria monocytogenes* in mice chronically exposed to cadmium, 155
SJÖGREN H.O. *see* HEDLUND G.
SLUSARENKO M. *see* HOGG N.
SNEL F. *see* CASPI D.
SPENCER J. *see* HALL J.G.
SPIEGELBERG H.L. *see* BOLTZ-NITULESCU G.
SPIEGELBERG H.L. *see* JENSEN J.R.
SPUR B. *see* BREMM K.D.
STEFURA W.P. *see* BOSE R.
STERN P.L. *see* BELL S.M.
STIMSON W.H. *see* GALLAGHER G.
SUBRAHMANYAM D. *see* CHANDRASHEKAR R.
SUKUMARAN K.D. *see* GILL H.K.
SULLIVAN D.A. & ALLANSMITH M.R. Source of IgA in tears of rats, 791
SUNDQVIST K.-G., ROBÈRT K.-H., JULIUSSON G., WANGER L., BIBERFELD P. & OTTESKOG P. Anchorage and lymphocyte junction: pattern of spreading distinguishes T- and B-cell chronic lymphocytic leukaemia, 635
SUZAWA T., HYODO S., KISHI T., KASHIWA H., KARAKAWA T., KITTAKA E., SAKANO T. & USUI T. Comparison of phorbol myristate acetate and phytohaemagglutinin as stimulators of *in vitro* T lymphocyte colony formation of human peripheral blood lymphocytes. I. Surface markers of colony cells, 499

TALAFANTOVÁ M. *see* TLASKALOVÁ-HOGENOVÁ H.
TANAKA Y. *see* HOSOKAWA T.
TANI K. *see* OKUDA K.
TARGETT G.A.T. *see* HARTE P.G.
THORNE K.J.I., NORMAN J.M., HAYDOCK S.F., LAMMAS D.A. & DUFFUS P.H. Antibody-dependent cell-mediated cytotoxicity against IBR-infected bovine kidney cells by ruminant neutrophils: the role of lysosomal cationic protein, 275
TLASKALOVÁ-HOGENOVÁ H., ŠIMEČKOVÁ J., VĚTVIČKA V., FORNŮSEK L., TALAFANTOVÁ M. & MANČAL P. Opsonic, cytotoxic, precipitating, blocking of bacterial adherence and other activities of monoclonal IgE antibody compared with IgA and IgM, 427
TOPILSKY M. *see* ILFELD D.
TRAININ N. *see* ILFELD D.
TRIEBEL F., GLUCKMAN J.-C., DEBRE P. & CHARRON D.J. T-lymphocyte progenitors in man: biochemical characterization of a colony promoting activity (CPA) active on immature precursors, 651
TRNKA Z. *see* MIYASAKA M.

USUI T. *see* SUZAWA T.
UTSUMI S. *see* HITSUMOTO Y.

VALKOVA B.A. *see* WALLIS V.J.
VERON M. *see* SIMONET M.
VERROUST P. *see* RONCO P.
VĚTVIČKA V. *see* TLASKALOVÁ-HOGENOVÁ H.
VOTTERO-CIMA E. *see* PISTORESI-PALENCIA M.C.
VYAKARNAM A. & LACHMANN P.J. Migration inhibition factor secreting human T-cell lines reactive to PPD: a study of their antigen specificity, MHC restriction and the use of Epstein-Barr virus-transformed B-cell lines as antigen-presenting cells, 601

WAKISAKA A. *see* KASAHARA M.
WALLIS V.J., CHAUDHURI M., JACOB M.C., VALKOVA B.A. & DAVIES A.J.S. Neoplasms arising in CBA mice after transfer of spleen cells from syngeneic old donors, 769
WALZ W. *see* MOSSMANN H.
WANGER L. *see* SUNDQVIST K.-G.

WASSOM D.L., DOUGHERTY D.A., KRCO C.J. & DAVID C.S. H-2-controlled, dose-dependent suppression of the response that expels adult *Trichinella spiralis* from the small intestine of mice, 811

WATKINS J.R., MCNICHOLAS J.M., LOKEN M.R. & KNIGHT K.L. Characterization of functionally distinct subpopulations of rabbit T lymphocytes, 659

WHITED COLLISSON E., ANDERSSON B. & LAMON E.W. Avidities of hapten-specific antibodies when the responses are modulated by anti-carrier antibodies, 443

WILDY P. *see* LEUNG K.N.

WONG K. *see* SARFATI M.

YOSHINAGA M. *see* GOTO F.

ZEMBALA M. *see* ASHERSON G.L.

Subject Index

ADCC against bovine rhinotracheitis virus-infected cells:
  role of lysosomal cationic protein of neutrophils, 275
Adherence of *E. coli* to lymphocytes, 175
Adjuvant action of beryllium:
  effects on individual lymph nodes, 105
  systemic effects, especially secretory immunity, 115
Adjuvant effect of LPS or alum precipitation, 827
Aggregated IgG:
  binding to Kupffer cells and hepatocytes, 283
Allogeneic lymphocyte cytotoxicity, 43
Allograft rejection:
  role of agranular lymphocytes, 257
Antibody heterogeneity:
  accelerated expansion by Freund's adjuvant, 837
Anti-tumour cytotoxin from macrophages, 537
Autologous MLR:
  inhibition by monoclonal antibodies to HLA-DR, 79
Avidity of modulated antibody responses, 443

Basophil-activating factor:
  from human T cells, 227
B-cell memory:
  to a TI-2 antigen, 97
Beryllium:
  adjuvant action, 105, 115
Biliary transport of serum IgA, 121
B. lymphocyte differentiation in sheep, 515
Brugia pahangi:
  cell-mediated reactions to microfilariae, 411
Brush border antigens:
  production and characterization of monoclonal to, 87

C3-independent immune haemolysis, 575
Cadmium:
  impairs resistance to *Listeria monocytogenes*, 155
Carbodiimide adducts of proteins, 435
Carrageenan-induced immunosuppression, 291
Cell-mediated cytotoxicity of intestinal mononuclear cells, 267
Chronic lymphocytic leukaemia:
  pattern of spreading distinguishes T and B cell CLL, 635
CMI in experimental dermatophytosis:
  adoptive transfer of immunity by lymphoid cells, 465
  T-suppressor activity by *Trichophyton quinckeanum*, 457
Colchicine:
  effect on T cell subsets, 595
Complement-induced granulocyte adhesion and aggregation, 583
C-reactive protein:
  dog, 307
  isolation and characterization, 307
Cyclosporin A:
  inhibition of lymphocyte activation, 55
Cytolytic T cells:
  fine specificity, 451
  furyloxazolone-specific, 451
Cytotoxic effector cells:
  infiltrating a rat sarcoma, 243
  phenotype, 243

Dermatophytosis:
  adoptive transfer of immunity by lymphoid cells, 465
  T-suppressor activity caused by *Trichophyton quinckeanum*, 457

E. coli mutants:
  adherence to lymphocytes, 175

Fatty acids:
  inhibition of lymphocyte proliferation, 235
Fcγ-like receptor molecules:
  in biliary cirrhosis, 315
Follicular trapping:
  in B-cell-depleted mice, 713
Free fatty acids:
  inhibition of lymphocyte proliferation, 507
Functional T-cell subsets:
  isotypic markers, 481
Furyloxazolone-specific cytolytic T cells, 451

Gamma interferon:
  produced by T-cell hybridomas, 855
Graft-versus-host disease in MRL mouse chimaeras, 251
Granulated intraepithelial lymphocytes:
  relationship to mucosal mast cells and globule leucocytes, 525

Helper T-cell clone:
  properties of a herpes simplex-specific clone, 623
Human T-cell hybrids:
  HLA-restricted response to EBV-infected B cells, 611
Human T-cell lines:
  antigenic specificity, MHC restriction and requirement for APC, 601
Human T lymphocyte colony formation:
  phorbol myristate acetate and PHA stimulation, surface markers of colony cells, 499

IgA antibody response:
  lack of subclass restriction, 419
IgA in tears of rats:
  source of, 791
IgE:
  F_c receptors on rat macrophages, 9
  in vitro synthesis by human lymphocytes, 187, 197, 207, 783

IgE suppression:
influence of exposure to antigen in the presence or absence of maternal immunity, 365
IgG anti-Ig:
effects on B cells, 693
Immune complexes:
transport from gut to blood in suckling rats, 385
Immune haemolysis:
C3-independent, 575
Immunoglobulin binding factors:
IgE and IgG, binding factors from human lymphoblastoid cells, 1
Interferon, gamma:
produced by T-cell hybridomas, 855
Intestinal mononuclear cells:
factors affecting cell-mediated cytotoxicity, 267
Irradiation:
effects on suppressor T cells for DTH, 669

Kappa light chain restriction:
in acquired and drug-induced hypogammaglobulinaemia, 779

Large agranular lymphocytes:
in allograft rejection, 257
Leucocyte surface antigens
in rat metrial gland, 63
Leukotriene release from human PMNs, 299
Listeria monocytogenes:
resistance to, impaired by cadmium, 155
Local immune response:
contribution of i.p. immunization to response in the respiratory tract, 375
Lymphocyte proliferation potentiating factor:
production by mouse and rabbit PMNs, 683
Lymphocyte traffic:
depression by systemic arterial hypotension and acute arterial occlusion, 677
Lysosomal cationic protein:
role in ADCC, 275

Macrophage anti-tumour cytotoxin, 537
Malaria vaccination:
overcoming maternal inhibition, 401
Maternal regulation of autoimmune response, 141
Metrial gland tissue:
leucocyte surface antigens, 63
Monoclonal antibodies:
specific for human myeloid cells and endothelium, 753
to brush border antigens, 87
Monoclonal IgE antibody:
properties compared with IgA and IgM, 427
Monoclonal IgE anti-NP antibodies, 801
Mouse B cells:
activation and proliferation signals, 703
effects of Con A, 703
Mycobacterium kansasii:
immune response to, 357
transfer of immunity by T cells from chronically-infected mice, 819
Mycobacterium lepraemurium:
immunity against viable organisms, 165

Natural killer cells:
biological function, 731
development, 731
recognition specificities, 731
Natural killing:
inhibition by lysosomotropic dyes, 745
Nematospiroides dubius:
stage-specific antigens, 325
Nematospiroides dubius infection of mice:
neutrophil-mediated immunity, 147
Neoplasms:
in CBA mice after transfer of old donor syngeneic spleen cells, 769
Nephritis:
in vitro model for anti-GBM nephritis, 547
Neutrophils:
in immunity to *Nematospiroides dubius*, 147
NK cell activity:
development in thymectomized bone marrow chimaeras, 17
NK cells:
enrichment of mouse NK cells by Percoll gradients, 721
NK cytotoxicity for embryonal carcinoma cells:
activity increased by TCGF, 23
NZB/W F_1 mice:
abnormalities of Ts_3 cells, 553

OKT4$^+$ hereditary deficiency cells, 643

Persisting cell stimulating factor (PSF):
in vivo functions and properties, 33
Peyer's patch cells:
phenotypic analysis, 515
precursors for sIg$^+$ cells, 515
Polyclonal activation in *xid* and *nu* mice, 563
Primary biliary cirrhosis:
molecules in human serum, 315
serum Fcγ-like, 315

Rabbit T lymphocyte subpopulations, 659
Respiratory burst activity:
differential activity elicited by *L. donovani* pro- and amastigotes, 345
Rheumatoid factor:
effect on localization of immune complexes, 395

Secretory component:
charge heterogeneity, 131
immunoglobulin and lectin binding studies, 131
Serum IgA:
biliary transport in sheep, 121
Specificities of antisera to carbodiimide adducts of proteins, 435
Stage-specific antigens of *Nematospiroides dubius*, 325
Streptococcal antigen-binding human T8$^+$ cells and monocytes, 215
Suppressor cells for DTH to herpes simplex:
effect on pathogenesis, 473
LPS induction, 473
nature, 473

T cell subsets:
effect of colchicine, 595
Thymus and NK cell activity, 17
T-independent type 2 (TI-2) antigen:
B-cell memory, 97
T-lymphocyte progenitors in man:
biochemical characterization of a colony promoting activity, 651
Tolerance:
induced by haptenated liposomes carrying mouse erythrocyte membrane glycoprotein, 847
Transplantation antigens:
immune response to rat RT-1 antigens, 69
Trichinella spiralis:
expulsion from W/W^v mice, 337
Trichinella spiralis infection:
H-2-controlled, dose-dependent suppression of immunity, 811
Ts_3 cells:
abnormalities in old NZB/W F_1 mice, 553
T suppressor factor in contact sensitivity:
equivalence of conventional TsF and monoclonal TsF_3, 491

Xid and *nu* mutations:
opposing effects on polyclonal and autoantibody responses, 563